






3	A. 041. 08. 1. 003	Electric control box parts	HTG-550PRO (CSA)	1
2	A. 041. 01. 1. 002	Rack component	HTG550-PRO (CSA)	1
1	A. 041. 05. 1. 002	Gearbox component	HTG-550PRO (CSA)	1
SN	Code	Name	Specification	QTY

A.041.01.1.002




47	3. 22. 122. 001	Handle rubber cover	Φ 25/Universal		2
46	A. 017. 01. 4. 019	Inner panel	HTG460	45	2
45	A. 017. 01. 4. 020	Outer plate	HTG460	45	2
44	3. 22. 113. 004	Buffer sleeve	HTG550/Height 20mm		2
43	5. 11. 101. 037	Screw	M10*50		4
42	3. 22. 121. 004	R type pin	4*75		2
41	A. 026. 01. 4. 019	Lifting rod	Universal	45	2
40	A. 026. 01. 4. 003	Quick release pin	HTG550	45	2
39	5. 11. 161. 001	Eyebolt	M8*15mm		2
38	A. 041. 01. 4. 009	Machine feet		Black nylon	2
37	92. 51. 14. 003	Hex socket screw	M8*12/201		2
36	5. 11. 109. 004	Elastic gasket	M8/201		12
SN	Code	Name	Specification	Material	QTY
35	5. 11. 109. 003	Gasket	M8*16*1. 5/201		2
34	5. 11. 109. 050	Elastic gasket	M10/304		8
33	5. 11. 109. 028	Gasket	M10/201		8
32	A. 017. 01. 2. 003	Axle component			2
31	A. 012. 01. 4. 037	Vacuum hose joint		Q235A	1
30	A. 041. 01. 4. 013	Dust outlet fixing plate		Q235A	1
29	5. 11. 101. 005	Hex socket screw	M10*30/304		8
28	5. 11. 109. 005	Gasket	M6/201		6
27	5. 11. 101. 007	Hex socket screw	M6*16/304		4
26	A. 016. 01. 2. 001	Quick connector			1
25	A. 041. 01. 4. 006	Fixed Sheet Metal		Q235A	1
24	5. 11. 109. 007	Elastic gasket	M6/201		6
23	A. 017. 01. 4. 007	Fixed block	777-4A	45	4
22	5. 11. 101. 026	Hex socket screw	M6*12/304		2
21	3. 21. 116. 007	LED light	22. 5cm 6 Lamp beads 18W/2m		1
20	A. 041. 01. 4. 007	Fixed Sheet Metal		Q235A	1
19	A. 041. 01. 4. 019	Decorative plates		Q235A	2
18	5. 11. 101. 031	Hex socket screw	M8*20/304		18
17	A. 041. 01. 4. 017	Fixed Sheet Metal		Q235A	1
16	A. 006. 04. 3. 002	Right weighted iron	Grey	Q235A	1
15	A. 041. 01. 4. 018	Fixed Sheet Metal		Q235A	1
14	A. 006. 04. 3. 001	Left weighted iron	HTG550	Q235A	1
13	A. 041. 01. 4. 010	Fixed Sheet Metal		Q235A	2
12	5. 11. 107. 003	Rubber seal	Φ 22		1
11	A. 041. 01. 4. 008	Weighted iron shaft		45	2
10	A. 041. 01. 3. 001	Rack welding			1
9	A. 041. 03. 2. 001	Water tank component			1
8	A. 017. 02. 2. 003	Swing bar component	HTG460 (CSA)		1
7	3. 22. 121. 002	Ring pin	M4. 5*36		2
6	3. 22. 112. 070	Copper sleeve	F2010/30-23*20*10		4
5	5. 11. 101. 082	Hex socket screw	M6*30/201		4
4	A. 041. 01. 4. 012	Lifting rod seat 2		Q235A	2
3	5. 11. 106. 010	Nylon cap	M10/201		4
2	5. 11. 104. 003	Star handle	M8*10		2
1	5. 11. 101. 012	Hex socket screw	M8*35/304		8
SN	Code	Name	Specification	Material	QTY




22	A. 017. 02. 3. 001	Swing bar welding			1
21	A. 017. 02. 4. 018	Swing bar pin bushing		Q235A	2
20	A. 017. 02. 4. 014	Swing bar rear cover		Q235A	1
19	5. 11. 109. 017	Gasket	M5/201		8
18	5. 11. 101. 006	Hex socket screw	M5*10/304		8
17	A. 017. 02. 4. 017	Rotation axis		Q235A	1
16	5. 11. 110. 004	Wire guard	AD18.5 M20*1.5 plastic		1
15	A. 001. 02. 4. 017	Swing bar decorative cover	φ 25x12	45	2
14	92. 51. 15. 508	Elastic gasket	M5/201		8
13	A. 017. 02. 4. 015	Swing bar rear upper cover		Q235A	1
12	3. 12. 112. 005	Yaskawa Inverter operator	JVOP-182		1
11	92. 34. 16. 105	Swing bar pin	HP-27S		1
10	A. 019. 02. 3. 002	Swing bar handle		304	1
9	A. 017. 02. 4. 012	Clamp cover		Q235A	2
8	5. 11. 101. 021	Hex socket screw	M8*25/304		10
7	5. 11. 109. 009	Lock washer	M8		8
6	92. 52. 16. 410	Emergency stop switch	LB22SA1M3-M11Z/G9-24V/A (L)	Q235A	1
5	92. 52. 51. 101	Integrated potentiometer	LA42DWQ-22 5K		1
4	92. 52. 16. 208	3-position knob	LB22SA1X1-X20Z/A/3 (L)	Q235A	1
3	92. 51. 34. 065	Socket head cap screws	5*10		6
2	92. 52. 16. 603	Rocker switch			1
1	A. 017. 02. 4. 026	Operation panel	HTG460 (CSA)	Q235A	1
SN	Code	Name	Specification	Material	QTY


2.41.017.012




11	2. 21. 017. 007	Swing bar welding	HTG460/Grey		1
10	5. 11. 110. 004	Cable guard	AD18.5 M20*1.5 Plastic		1
9	4. 11. 017. 054	Swing bar rear upper cover	HTG460/Grey	Q235A	1
8		Control panel component			1
7	92. 34. 16. 105	Swing bar pin	HP-27S		1
6	4. 11. 019. 023	Swing bar handle	CG250/HTG460	304	1
5	4. 11. 017. 057	Clamp cover	HTG460/Grey	Q235A	2
4	4. 11. 017. 031	Rotation axis	HTG460	Q235A	1
3	4. 11. 017. 030	Swing bar pin bushing	HTG460	Q235A	2
2	4. 11. 001. 034	Swing bar decorative cover	777-4E/700LE	45	2
1	4. 11. 017. 055	Swing bar rear cover	HTG460/Grey	Q235A	1
SN	Code	Name	Specification	Material	QTY




6	4. 11. 017. 080	Operation panel	HTG460 (CSA) /Red	Q235A	1
5	92. 52. 51. 101	Integrated potentiometer	LA42DWQ-22 5K		1
4	92. 52. 16. 410	Emergency stop switch	LB22SA1M3-M11Z/G9-24V/A (L)	Q235A	1
3	92. 52. 16. 208	3-position knob	LB22SA1X1-X20Z/A/3 (L)	Q235A	1
2	92. 52. 16. 603	Rocker switch			1
1	3. 12. 112. 005	Yaskawa Inverter operator	JVOP-182		1
SN	Code	Name	Specification	Material	QTY




16	A. 017. 01. 4. 014	Solenoid valve fixing seat	777-4E	Q235A	1
15	3. 22. 126. 001	Plug			1
14	92. 52. 15. 603	Solenoid valve	777-4E 2W-025-08 DC24V		1
13	5. 11. 106. 015	Nylon cap	M6/201		2
12	3. 22. 125. 003	Air fitting	PLF12-04		1
11	3. 15. 113. 001	Water switch	For water tank		1
10	3. 11. 151. 001	Dust pump	FL-2202A 24V pressure70psi flow4.0L		1
9	3. 22. 201. 005	Filter	777-4E		1
8	92. 51. 33. 040	Hex socket screw	M8*10/304		4
7	5. 11. 109. 003	Gasket	M8*16*1. 5/201		8
6	A. 041. 03. 4. 001	Water tank		304	1
5	5. 11. 101. 020	Hex socket screw	M8*20/304		4
4	92. 51. 15. 507	Elastic gasket	M8/201		8
3	A. 017. 03. 4. 002	Water tank filter		304	1
2	5. 11. 101. 006	Hex socket screw	M5*10/304		4
1	92. 51. 13. 010	Nuts	M5/201		4
SN	Code	Name	Specification	Material	QTY



12	5. 11. 109. 001	Gasket	M14/201		4
11	5. 11. 101. 139	Hex socket screw	M6*12/304		1
10	3. 22. 163. 021	Oil cap	Φ45	AISI 304	1
9	A. 018. 05. 2. 001	Sprinkler head component			1
8	A. 006. 06. 2. 001	Grinding disc component			3
7	3. 13. 112. 014	Gearbox	HTG550-PRO		1
6	3. 11. 111. 043	WEG motor	5. 5kW/38*80/CE UL CSA EAC		1
5	A. 041. 07. 3. 001	Gearbox cover welding			1
4	5. 11. 101. 008	Hex socket screw	M8*30/304		12
3	5. 11. 109. 009	Lock washer	M8		12
2	92. 51. 33. 013	Hex socket screw	M14*45/201		4
1	5. 11. 109. 002	Elastic gasket	M14/304		4
SN	Code	Name	Specification	Material	QTY



13	A. 006. 06. 4. 002	Round grinding disc	X7/666-4 Φ230	45	1
12	5. 11. 101. 001	Hexagon Screw	M8*16/304		9
11	5. 11. 101. 165	Hexagon Screw	M12*40/304		6
10	3. 22. 114. 001	Magnet	Φ30*8		3
9	A. 001. 05. 4. 069	Conversion Block	Φ100x5	45	3
8	92. 51. 14. 082	Screw	M5*16 (GB / T819 . 1-2000)		3
7	92. 51. 13. 010	Nuts	M5/201		3
6	92. 51. 13. 022	Nuts	M12/304		1
5	A. 017. 06. 4. 002	Upper flange	29*12 666-4	45	1
4	92. 51. 15. 658	Gasket	M18/201		1
3	A. 006. 06. 4. 004	Grinding disc spring	X3X6X7/600E/ 4.5*37*53	45	1
2	A. 017. 06. 4. 003	Hole sleeve	Φ12*16*17mm	Q235A	6
1	92. 51. 28. 010	Rubber pad	X6/X7/666-4		1
SN	Code	Name	Specification	Material	QTY



29	3. 21. 118. 006	Fuse	Phoenix/D-TB4-HESI	Q235a	6
28	3. 23. 116. 001	Rail	C45 1.2 thickness		3
27	3. 21. 115. 008	Fan	DC24V0. 35A/120*120*25mm/LK12025H24B		1
26	3. 21. 115. 004	Fan cover iron mesh	120*120mm hole distance 105*105		1
25	5. 11. 109. 003	Gasket	M8*16*1. 5/201		4
24	5. 11. 101. 085	Hex socket screw	M4*10		6
23	3. 21. 111. 004	Switching power supply	WDR-120-24		1
22	5. 11. 109. 037	Elastic gasket	M4		6
21	5. 11. 101. 007	Hex socket screw	M6*16/304		2
20	5. 11. 110. 001	Cable guard	PG11/black/plastic		1
19	5. 11. 110. 002	Cable guard	PG25/black/plastic		2
18	5. 11. 109. 005	Gasket	M6/201		2
17	YF.DQ. 1917	Ground row	7-hole ground row		1
16	5. 11. 109. 007	Elastic gasket	M6/201		2
15	5. 11. 109. 036	Gasket	M4		6
14	5. 11. 101. 020	Hex socket screw	M8*20/304		4
13	3. 12. 111. 025	Yaskawa Inverter	220V 7. 5KW		1
12	3. 21. 119. 001	Timer	DC10-80V		1
11	3. 22. 127. 011	Rotating handle	GV3-APN01/IP54		1
10	3. 22. 123. 001	Cam lock	705 with big key		2
9	3. 21. 114. 020	Rotary Switches	LB22SA1X1-X10Z/G9-24V/A/2(L)		1
8	5. 11. 110. 004	Cable guard	AD18. 5 M20*1. 5 straight plastic		1
7	3. 21. 116. 001	Red indicator light	Siemens/24v AD16-22D/S R		1
6	3. 21. 115. 002	Outlet filter	FK6622. 300		3
5	3. 21. 116. 002	Green indicator light	Siemens/24v AD16-22D/S G		1
4	3. 21. 114. 066	Motor protect switch	GV3P40/25-40A		1
3	5. 11. 109. 004	Elastic gasket	M8/201		4
2	A. 041. 08. 3. 003	Electric control box welding	HTG550-PRO (CSA)		1
1	3. 21. 123. 001	Terminal fixings	CLIPFIX 35-5		2
SN	Code	Name	Specification	Material	QTY